





## Index

<u>02</u> **▶ Armony** — 08

\_\_\_\_\_ 12 **→ Armony Lite** 

### **Finishes**

- 3.1 Car models
- 3.2 Car Finishes
- 3.3 Operating Panel & Indicators
- 3.4 Structures



# ×4LO6 -





0.1



Electric lift in compliance with the machinery directive 20006/42 CE with multiple possibilities of cabine decorations with a load range up to 500 kg.

### Applications

Residential
Removal of architectural barriers
Accesibility

### **Advantages**

**Maximum safety:** With brake on the slow machine shaft to control uncontrolled movements. TPU coated traction ropes.

Very quiet and comfortable operation.

**Without machine room:** Control panel integrated in the door frame, with the inverter located in the shaft.

Integral controller cabinet option on the landing.

**Decorative versatility:** Without restrictions in car decorations.


Single phase: It works in any 240V single phase socket.

**Space-optimised:** Maximum optimisation of space. Like a hydraulic solution.

**Emergency:** Equipped with a rescue system that allows to evacuate the passengers even when there is no electrical supply.

No oil in the shaft.

Perfect for high traffic.










### **Technical Features**

300 - 500	
0,15-0,30	
1:1	
0,75	
YES / MRL with control panel in the door frame	
0 - 90° - 180° - 270°	
15	
Q ≤ 400 Kg 150 Q > 400 Kg 200	
2.525	
With or without car door Landing doors Automatic and semi-automatic	
Single-Phase	
All	
Yes	
Up to 2m <sup>2</sup>	



Control panel integrated in the door frame and car door design.

WITHOUT MACHINE CONTROL







0.2



It is the most versatile home lift with a wide range of possibilities to decorate your lift car and loads up to 500kg.

### Applications

Residential buildings
Elimination of architectural barriers
Accessibility

### **Advantages**

#### Maximum safety:

We have exhaustively studied its design to ensure the safety standard of a lift: Entrance detection system, door reopening to avoid hitting the passenger and car levelling.

### Decorative versatility:

Wide range of decoration possibilities.

### Single-phase:


Works on any single-phase 220 V socket or three phase power supply option.

#### Space optimization:

Uses of up to 80% of the shaft.

#### **Emergency rescue:**

Equipped with a rescue system that allows passengers to be evacuated in the event of power failure.







### **Technical Features**

180 - 500		
0,15		
From 2,2		
Yes / Power unit in Cabinet		
0 - 90° - 180° - 270°		
24		
Q ≤ 400 Kg 135 Q > 400 Kg 150		
2.285 Without Lift Car door.		
Type of Doors  With or without automatic car doors  Automatic and semi-automatic  Landing doors		
Single-Phase*		
Yes		



Optional:

With cabin door.

Cabin surface

Up to 2m<sup>2</sup>

<sup>\*</sup>Three-phase power supply also available







### Multi-purpose single cabinet

We have a pre-assembled KIT, which consists in hydraulic equipment + cabinet + control panel, everything already assembled, pre-wired and tested in the factory. Facilitates easy commissioning (Plug and Play).



## o.a Armony Lite



Homelift Hydraulic Armony Lite is the hydraulic homelift with the best value for money in the market.

#### **Car decoration:**

OPTIMA and DINAMIC models.

#### **Option:**


With car door.



The most competitive option for a Homelift.

Robust and compact set, car frame + car.

Easy assembly from inside the car.



## Armony Lite car models







Optima

013






### **Technical Features**

Rated Load (Kg)	180 - 385
Rated Speed (m	n/s) 0,15
Power (KW)	From 2,2
Machine Room Y	//N Yes, Power unit in Cabinet
Car entrances	0° - 90° - 180° - 270°
Max. Travel (m)	15
Minimum Pit (m	<b>m)</b> 100
Huida Mínima (r	<b>nm)</b> 2.450
Type of door	No Cabin Door Automatic or semi-automatic on landing.
Power supply	Single Phase*
Car models	Dynamic / Optima
Panoramic	No

<sup>\*</sup> Three-phase power supply also available












101	Walls	Joint	Floor
	Checks Stainless Steel	No joint between panels	Granite Naturel Warwick








L03 Walls **Joint** Floor Smooth panel Royal Reef artificial stone F6307 Burnt Strand F2833 Sandstone \*M03 also available in Melamine

Laminate







LO4
Walls Joint Car Walls Illumination

F7327 Popular Grey

No joint between panels

Vertical LED strips

F8830 Elemental Concrete



Laminate Platform Lift Catalogue

\*M04 also available in Melamine









ber Black
















Quartz	Walls	Joint	Floor
	Terracotta Red RAL 8815  Back Painted glass	Smooth panel	Intense Black natural granite




### Walls

#### **Skinplates**











Cream












Pearl Light Grey RAL 9022





2 Tariff Type 2

#### **Stainless Steel**



Checks





Brushed



Polished

Available any other finish from:



Linen

Platform Lift Catalogue

<sup>\*</sup> Any other RAL available under request



Aluminium RAL 9007

Bronze

2

3

### Walls

#### **Back painted glass**



Metallic grey RAL 9006



White RAL 9003



Matt Light RAL Brown 1236

- 2 Tariff Type 2
- 3 Tariff Type 3



Light Brown RAL 1236



Black Starlight RAL 0337



Terracotta Red RAL 8815



Green RAL 8615





Pistachio Green RAL 1164



**Back painted glass (under request)** 



**RAL 1586** 




**RAL 2001** 



RAL 8017



**RAL 9005** 



SILVER






**RAL 5002** 





### Walls

#### **Laminates**



Colors shown may vary from the actual color depending on the computer monitor settings or the printing conditions.





### Walls

#### Melamina





Not in compliance with the standard EN 81.20



### **Floors**

### Anti-slip rubber 4,5 Kg / m<sup>2</sup>



Beige



Grey



Oak



Grey concrete



Blue





Sand



Black

### Artificial Stone 49 kg/m²



**Grey Expo** 



White North



**Ethereal Glow** 




Rougui

- 2 Tariff type 2
- **3** Tariff type 3





### Natural granite 56 kg / m²



**Grey Pearl** 



Grey Quintana



Guyana

- 2 Tariff Type 2
- 3 Tariff Type 3
- 4 Tariff Type 4



Pink Porriño



Intense Black



Warwick Rubi



White Crystal



Black South Africa



White Trevi



Dark Blue Labrador

#### **Metallic floor**



Aluminum checkerboard  $6 \, \text{Kg/m}^2$ 




Stainless steel 12 Kg/m²



Steel durbar plate 36 Kg/m²



## Ceilings



All ceilings can be selected in white, black and stainless steel finishes.



## **Indirect lighting**







Car walls illumination



COP Illumination




Ceiling illumination


### **Mirrors**



1/2 Height



Slim mirror panel




Full mirror

### Handrail

### STANDARD EN 81-20





- 1. Rectangular stainless steel
- 2. Rectangular skinplate
- 3. Straight tubular polished St. Steel
- 4. Curved tubular satin St. Steel
- 5. Curved tubular polished St. Steel
- 6. Curved tubular painted black



### **Automatic door**



Primed Stainless steel




Folding Bus door big vision panel



Big vision panel



Full glass door panels



Control panel in door frame.

Available for Carlos Silva, Elec Megom, Sprinte and New Lift.

### Semi-automatic doors



Standard Vision panel



Big vision panel



### **Door finishes**



## STANDARD

RAL 7032

#### **OTHERS**






RAL 9005

### ► Smooth Stainless steel

#### STANDARD



#### Patterned Stainless steel







### **Car Operating panels**



#### Handrail Type (EN81.70)



- 1 Standard column button panel
- 2 Column button panel with illumination
- 3 Surface mounted 920x220mm anodised aluminum
- 4 Glass button panel

## Landing operating panels



Surface mounted anodised aluminum



Surface mounted anodised aluminum



With engraving on steel plate



With transparent window plate



Surface mounted



Surface mounted



With Display

### **Push buttons**



Bas 120



Bas 120 Black



RT42



US91-EN



US90 Jumbo



US95 Jumbo



US95-EN


### **Indicators**



SURFACE mounted



### **Indicators**



TFT 2,8" CARLOS SILVA



7" CARLOS SILVA



TFT 5,6" CARLOS SILVA



10" CARLOS SILVA





## Structures

The structures for Passenger Lift and Home Lift give us flexibility, by eliminating architectural barriers and bringing solutions for the total accessibility.

#### STRUCTURES

### ▶ Colors





### **Advantages**

The assembly time is reduced by over 60% compared to an installation with traditional construction system, with a clean, fast, and quiet product.


Absolutely respectful with the environment, both in the assembly process and industrial development.

Ease of assembly, makes this product highly simple to operate complying with the higher safety standards.



### **Characteristics**

Multi-purpose technical solution for every building, they can be adapted to the different constructive requirements. TC series are designed to be integrated in the existing building and its environment.







Ceiling (metal sheet or glass)




Canopy over door (metal sheet or glass)



Handrail



Ventilation









## **Headquarters** and offices

### **HEADQUARTERS / VALENCIA BRANCH**

C/ Coeters, 27 46980 Paterna

+34 961 345 350 comercial@raloe.com

#### **MADRID BRANCH**

C/ Arboleda 18, Nave L 28031 Madrid

+34 913 013 720

#### **BARCELONA BRANCH**

C/ Montserrat Roig, 56 08908 L´Hospitalet

+34 932 643 910

#### **RALOE EXPORT**

+34 961 345 379 export@raloe.com

#### **RALOE DEUTSCHLAND GmbH**

Carl-Zeiss-Ring 14 85737 Ismaning

+49 (0) 89 306 44 765-0

#### **RALOE UK LTD**

Office F08, The Nucleus Brunel Way, Dartford Kent DA1 5GA

+44 (0) 759464 9122

#### **FRANCE BRANCH**

Rue Alessandro Volta- 1er étage Zone Industrielle de Marcerolles 26500 BOURG LES VALENCE

+33 615 587 392

